



Environmental Microbiology: Microbial Processes Shaping Soil, Water and Atmospheric Health

Mariana Alves*

Department of Environmental Biotechnology, Federal University of Paraná, Curitiba, Brazil

DESCRIPTION

Environmental microbiology examines microorganisms and their activities within natural and human-influenced environments. Bacteria, archaea, fungi, algae, protozoa and viruses occur in soil, freshwater, marine systems, sediments, air, wastewater and contaminated sites. Although many microorganisms are microscopic, their collective activities influence nutrient cycling, organic matter transformation, pollutant removal, greenhouse gas production and ecosystem stability. Understanding these microbial processes provides an important basis for managing environmental quality and biological resources. Soil contains highly diverse microbial communities that participate in the transformation of carbon, nitrogen, phosphorus, sulfur and other elements. Bacteria and fungi decompose plant residues, animal remains and other organic materials, releasing nutrients that can become available to plants and other organisms. During decomposition, complex compounds such as cellulose, hemicellulose, proteins and lipids are converted into simpler substances. Microbial activity therefore affects soil fertility, organic carbon storage and the availability of nutrients required for plant growth [1-4].

Nitrogen cycling is strongly influenced by microorganisms. Certain bacteria convert atmospheric nitrogen into forms that plants can use, while other microbial groups convert ammonia into nitrite and nitrate. Denitrifying microorganisms can subsequently reduce nitrate to gaseous nitrogen compounds, returning nitrogen to the atmosphere. These processes affect agricultural productivity and atmospheric emissions. Excess nitrogen from fertilizers and wastewater can also alter microbial communities and contribute to nitrate contamination of groundwater and nutrient enrichment in aquatic ecosystems. Aquatic environments contain microorganisms that regulate the transformation of dissolved organic matter and nutrients. In rivers, lakes, wetlands and oceans, microbial communities break down organic substances and participate in carbon cycling. Photosynthetic microorganisms, including cyanobacteria and

microscopic algae, contribute to oxygen production and carbon fixation. However, excessive nutrient inputs can encourage rapid algal growth, sometimes followed by oxygen depletion when microbial decomposition increases. Such changes may reduce water quality and place aquatic organisms under stress [5,6].

Microorganisms also have an important role in wastewater treatment. Biological treatment systems use microbial communities to remove organic compounds, nitrogen, phosphorus and other substances from wastewater before discharge. Aerobic microorganisms consume biodegradable organic matter in the presence of oxygen, while anaerobic communities convert organic materials into gases and simpler products. Proper control of oxygen availability, temperature, pH and nutrient conditions can improve treatment efficiency and reduce the release of harmful substances into receiving waters. Environmental microbiology is also closely connected with pollution management. Certain microorganisms can transform petroleum hydrocarbons, pesticides, solvents, dyes and other contaminants. This biological process, commonly known as bioremediation, may occur naturally or can be supported by adding suitable nutrients or microorganisms to contaminated environments. Microbial degradation can convert complex pollutants into simpler compounds, although the outcome depends on contaminant concentration, environmental conditions, microbial composition and the chemical structure of the pollutant [7,8].

Heavy metals present a different challenge because they cannot be destroyed through microbial degradation. Nevertheless, microorganisms can influence their chemical form, mobility and availability. Some bacteria and fungi can bind metals to cellular surfaces or produce compounds that alter metal solubility. These activities can affect whether metals remain in soil or sediment, enter groundwater, or become available to plants and animals. Microbial interactions with metals are therefore important when managing industrially contaminated locations. The atmosphere also contains microorganisms. Bacteria, fungal spores and other

Correspondence to: Mariana Alves, Department of Environmental Biotechnology, Federal University of Paraná, Curitiba, Brazil, E-mail: mariana.alves@envbio.br

Received: 01-Dec-2025, Manuscript No. JMBT-25-32558; **Editor assigned:** 03-Dec-2025, PreQC No. JMBT-25-32558 (PQ); **Reviewed:** 17-Dec-2025, QC No. JMBT-25-32558; **Revised:** 24-Dec-2025, Manuscript No. JMBT-25-32558 (R); **Published:** 31-Dec-2025, DOI: 10.35248/1948-5948.25.17.664

Citation: Alves M (2025). Environmental Microbiology: Microbial Processes Shaping Soil, Water and Atmospheric Health. J Microb Biochem Technol. 17:664.

Copyright: © 2025 Alves M. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

biological particles can become suspended in air and move between terrestrial and aquatic environments. Atmospheric microorganisms may originate from soil, vegetation, oceans, wastewater facilities and urban surfaces. Their presence can influence the movement of biological material and certain chemical substances through the environment. Weather conditions, humidity, temperature, wind and particulate matter can affect microbial survival and distribution [9,10].

CONCLUSION

Climate conditions influence microbial activity as well. Temperature and moisture affect decomposition rates, nutrient transformations and the production or consumption of gases such as carbon dioxide, methane and nitrous oxide. Wetland sediments, agricultural soils, forests and oceans contain microbial communities involved in processes that influence the global carbon cycle. Changes in temperature, rainfall, flooding, drought and land use can modify these microbial processes and alter ecosystem functions. Modern environmental microbiology increasingly uses Deoxyribonucleic Acid (DNA) sequencing, microscopy, chemical analysis and computational methods to characterize microbial communities. These approaches can identify microorganisms that are difficult to cultivate under laboratory conditions and can reveal changes in microbial composition across different environments. Functional analysis can also indicate which metabolic pathways are active under particular environmental conditions. Combining microbial information with measurements of soil chemistry, water quality, temperature and nutrient availability can provide a broader understanding of environmental processes

REFERENCES

1. Burt TP, McDonnell JJ. Whither field hydrology? The need for discovery science and outrageous hydrological hypotheses. *Water Resour Res.* 2015;51:5919-5928.
2. Moatar F, Abbott BW, Minaudo C, Curie F, Pinay G. Elemental properties, hydrology and biology interact to shape concentration-discharge curves for carbon, nutrients, sediment and major ions. *Water Resour Res.* 2017;53:1270-1287.
3. Sprenger M, Stumpp C, Weiler M, Aeschbach W, Allen ST, Benettin P, et al. The demographics of water: A review of water ages in the critical zone. *Rev Geophys.* 2019;57:800-834.
4. Pinder GF, Jones JF. Determination of the ground-water component of peak discharge from the chemistry of total runoff. *Water Resour Res.* 1969;5:438-445.
5. Klaus J, McDonnell JJ. Hydrograph separation using stable isotopes: Review and evaluation. *J Hydrol.* 2013;505:47-64.
6. Williams AE, Rodoni DP. Regional isotope effects and application to hydrologic investigations in southwestern California. *Water Resour Res.* 1997;33:1721-1729.
7. Nickolas LB, Segura C, Brooks JR. The influence of lithology on surface water sources. *Hydrol Process.* 2017;31:1913-1925.
8. Knapp JLA, Von Freyberg J, Studer B, Kiewiet L, Kirchner JW. Concentration-discharge relationships vary among hydrological events, reflecting differences in event characteristics. *Hydrol Earth Syst Sci.* 2020;24:2561-2576.
9. Sugiyama A, Masuda S, Nagaosa K, Tsujimura M, Kato K. Tracking the direct impact of rainfall on groundwater at Mt. Fuji by multiple analyses including microbial DNA. *Biogeosciences.* 2018;15:721-732.
10. Graham EB, Crump AR, Resch CT, Fansler S, Arntzen E, Kennedy DW, et al. Deterministic influences exceed dispersal effects on hydrologically-connected microbiomes. *Environ Microbiol.* 2017;19:1552-1567.