



Green Synthesized Gold Nanoparticles using Plant Extracts as Promising Prospect for Cancer Therapy: A Recent Review

Abire Orebo Temesgen^{1*}, TS Arul Jeevan²

¹Department of Chemistry, Wachemo University, Hosaena, Ethiopia; ²Department of Chemistry, Mizan Tepi University, Tepi, Ethiopia

ABSTRACT

Green synthesis methods are gaining significance as promising routes for the sustainable preparation of nanoparticles, offering reduced toxicity towards living organisms and therefore the environment. Among nanoparticles, gold Nano Particles (AuNPs) attract much attention thanks to their usability and high performance in imaging techniques. The wide availability of biological precursors employed in plant based synthesized AuNPs allows for the event of large-scale production during a greener manner. Gold Nano Particles (AuNPs) are widely explored and are well-known for his or her medical applications due to their large volume specific surface areas with high diverse surface activities than bulk gold. These properties have made Au-NPs of great importance within the event of fantastic promising prospect for biomedical and environmental applications. In impression of this, biosynthesized NPs are gaining more attention due to bioactive plant secondary metabolites help in green synthesis and also due to their unique biological applications. This review, therefore, focuses on a simplistic, eco-friendly, reliable, and cost effective green synthesized AuNPs as a promising agent for cancer therapy. By consideration of preparation methods, green synthesis is one in every of the foremost promising approaches for compensation of the constraints of those physical and chemical methods. Au-NPs have many applications in biomedical field. Improving delivery of anticancer agents to tumors using NPs is one altogether the foremost promising research areas within the sector of nanotechnology? As observed during this recent review generally, to provide novel drug, the green synthesis approach of gold NPs indicates as an honest promising prospect on cancer therapy.

Keywords: Green synthesis; Anti-cancer activity; Gold nanoparticles; Cancer therapy

INTRODUCTION

Nanotechnology is a modern exploration field that involves design, synthesis, and development of particles ranging in size from 1 to 100 nanometers. Nanoparticles may be metal or non metal in an elementary state. It can be broadly classified into inorganic and organic nanoparticles. Organic nanoparticles are carbon nanoparticles whereas inorganic nanoparticles are magnetic nanoparticles, noble (gold and silver) nanoparticles, and semiconductor (titanium oxide and zinc oxide) nanoparticles. The field of nanotechnology is one of the essential areas for recent material science researchers. To date,

interest of nanotechnology is the development of environmentally benign technology for the synthesis of metal nanoparticles with miraculous and boundless applications in the fields of food, health, pharmaceutical, agriculture, cosmetics, defense and environmental safety [1]. Nano particles provide various applications that are increasing rapidly. It can be synthesized physical and chemical methods considering their enormous application in biomedical field [2,3]. These methods are costly and use harmful chemicals, which have negative effects; as a result this using a green synthesis of inorganic Nanoparticles is safer [4]. Green synthesis of noble metals is important because they are environment-friendly and are safe to human

Correspondence to: Abire Orebo Temesgen, Department of Chemistry, Wachemo University, Hosaena, Ethiopia; E-mail: temeoreb@gmail.com

Received: 19-May-2022, Manuscript No. JNMNT-22-16736; **Editor assigned:** 20-May-2022, PreQC No. JNMNT-22-16736 (PQ); **Reviewed:** 03-Jun-2022, QC No. JNMNT-22-16736; **Revised:** 18-Jul-2022, Manuscript No. JNMNT-22-16736 (R); **Published:** 25-Jul-2022, DOI: 10.35248/2157-7439.22.13.641

Citation: Temesgen AO, Jeevan TSA (2022) Green Synthesized Gold Nanoparticles using Plant Extracts as Promising Prospect for Cancer Therapy: A Recent Review. J Nanomed Nanotech. 13:641.

Copyright: © 2022 Temesgen AO. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

health [5]. The green synthesis of Nano particles is of great interest due to the rising need to decrease toxicity, increase renewable resources, biocompatible, safer and provide environment-friendly solvents. These have captured the attention of major corporations in the last few decades [6]. This approach also produces pure nanoparticles unlike the chemical methods wherein the produced nano particles formulation is contaminated with the chemicals used within the process [7].

LITERATURE REVIEW


As a medical point of view, the green synthesis of nanoparticles has been shown to greatly increase their clinical application. Gold nanoparticles can be synthesized by chemical, physical and biological methods. The biological methods are very useful because it provides natural capping agents without need of high pressure, temperature, toxic chemicals, and excessive energy. Using plant extracts to synthesize nano particles is relatively cheaper than nano particles synthesis by microorganisms [8]. AuNPs have been widely studied and applied in the field of tumor diagnosis and treatment because of their special fundamental properties. The plant extract mediated synthesis of the AuNPs has been reported for human wellness; applications of AuNPs include as anticancer [9-11], and antioxidant [12,13]. For therapeutic cancer, there is a need to develop a new planned drug. It has been reported that medicinal plant mediated Au-NPs are good aspirant for controlling the growth of different cancerous cells without affecting normal cells. Several studies have investigated the synthesis of AuNPs by green methods using plant extracts, yeast, bacteria, fungi and honey [14]. Metallic nanoparticles such as (silver, gold and platinum) NPs have been widely tested in humans. For medical uses, green synthesized nanoparticles should be biocompatible and non toxic proprieties must be used. The most common method which has been used to produce AgNPs is chemical synthesis, enlisting reagents whose function is to reduce the silver ions and stabilize the NPs. However, these reagents are toxic and may have potential health hazards. These production methods are usually labor intensive and expensive. During the earlier period, it has been publicized that numerous biological systems, including plants, bacteria, yeast, algae and fungi can transform inorganic metal ions into metal nanoparticles *via* the reductive capacities of the proteins and secondary metabolites present in these organisms. Bearing this aspect, we plan to review the green synthesis approaches of silver and gold nanoparticles as promising prospect for cancer therapy come to the forward facing due to the fact that they do not harm the environment and give economic and rapid results [15]. Recently, AuNPs received much attention for the critical disease diagnosis and the treatment of several diseases e.g., cancerous cells, HIV, and rheumatoid arthritis, whereas substantial exploration is currently promising for possible applications as anticancer, antibacterial and bio diagnostic material [16]. Furthermore, the non immunogenic and non toxic nature of AuNPs with high permeability and the high retention effect suggest further support of the informal accumulation and penetration for the treatment of tumor sites. Several advanced methods of AuNPs are still under development due to its distinctive values in the therapeutic field [17]. As AuNPs formerly

played a significant role in human welfare in the clinical diagnostic field as well as numerous medical applications. Further advanced research demonstrates that AuNPs are becoming attractive and the most promising method in cancer, anti-bacterial and AIDS treatment [18]. Cancer is an abnormal growth of tissue or cells exhibiting uncontrolled division autonomously resulting in a progressive increase in the number of cell divisions [19]. It is a disease of the genes in the cells of our body. Cancer could be a major ill health with in the world because it causes significant sickness and death in worldwide [20] and there are increasing demands for anticancer therapy. In keeping with WHO report in 2018, there have been 18.1 million new cases and 9.5 million cancer related deaths worldwide. In 2040, quantity of latest cancer cases annually is going to be expected to rise to 29.5 million and therefore the number of cancer related deaths to 16.4 million at 2040. In January 2019, there have been an estimated 16.9 million cancer survivors with in the United States. The quantity of cancer survivors is anticipated to extend 22.2 million by 2030. The combat against cancer is problematic particularly with in the development of therapies for cruelly reproducing tumors. Chemotherapy is accessible for treatment of cancer but still it shows low specificity and is controlled by dose limiting toxicity. It is an effort to seek out the therapy and medicines for the treatments of various sorts of cancer. Therefore, conventional methods require the mix of controlled released technology and targeted drug delivery is more practical and fewer harmful. Nanomaterials are expected hopefully to revolutionize cancer diagnosis and therapy. Cancer is an abnormal growth of tissue or cells exhibiting uncontrolled division autonomously leading to a progressive increase within the number of cell divisions. It is a disease of the genes within the cells of our body. Cancer may well be a major health problem with within the world because it causes significant sickness and death in worldwide and there are increasing demands for anticancer therapy. Keep with WHO report in 2018, there are 18.1 million new cases and 9.5 million cancer related deaths worldwide. In 2040, quantity of latest cancer cases annually are visiting be expected to rise to 29.5 million and so the quantity of cancer related deaths to 16.4 million at 2040. In January 2019, there are an estimated 16.9 million cancer survivors with within the United States. The amount of cancer survivors is anticipated to increase 22.2 million by 2030. The combat against cancer is problematic particularly with within the development of therapies for cruelly reproducing tumors. Chemotherapy is accessible for treatment of cancer but still it shows low specificity and is controlled by dose limiting toxicity. It is an attempt to hunt out the therapy and medicines for the treatments of varied varieties of cancer. Therefore, conventional methods require the combo of controlled released technology and targeted drug delivery is more practical and fewer harmful. Nanomaterials are expected hopefully to revolutionize cancer diagnosis and therapy. Green chemistry is an emerging technology that promotes the implementation of a set of principles to reduce the utilization and generation of chemical hazardous wastes. As a result of this, a green method reduces the industrial labor impact on the ecosystem. Through their development, scientists are providing possible solutions to costly process and hazardous materials encountered when using traditional physicochemical synthesis methods. The employment

of environment friendly reagents and solvents, reducing high energy consumption methods, using non-toxic biomolecules, such as DNA, proteins, enzymes, carbohydrates as well as plant extracts, allow synthesizing biocompatible metallic NPs by reducing metal ions aqueous solutions.

Application of plant based materials in cancer therapy

Among natural resources, plants, thanks to their huge variety with influential phytochemicals and therapeutic properties, have an important role in treating many ailments worldwide, including cancer. In line with scientific records, over 80% of the world's population relies on plant derived pharmaceuticals for health, and additionally, medicinal plants have played a critical role in extending lifetime. In some plants, the therapeutic properties can relate to low molecular mass compounds called secondary metabolites. Terpenoids, alkaloids, and phenolic are the most groups of secondary metabolites. Certain plant species can play an important role in blocking or activating transduction pathways in live cells by creating associated secondary metabolites with ant mutagenic and cancer capabilities. Certain plant derived anticancer drugs contain vincristine, emoting, paclitaxel, kaempferol, linalool, colchicine, rutin, and quercetin. Although the quantity of plant derived anticancer compounds is vast, only some have reached clinical use after successfully navigating the lengthy, expensive, and bureaucratic path from identification to cancer therapy effectiveness. In their publication. Extensively documented some important medicinal plants and their ant carcinogenic phytochemicals against a selected form of cancer. Additionally explicitly listed the plant derived anticancer compounds against numerous skin carcinoma cell lines. Figure 1 illustrates a schematic process for ant carcinogenic phytochemical synthesis, characterization, and potential applications as cancer treatment agents. Even though significant therapeutic advantages, the effectiveness of natural products is compromised by their poor stability, low aqueous solubility, limited bioavailability, and short retention period; all of those factors restrict their therapeutic applicability (Figure 1).



RESULTS AND DISCUSSION

Green synthesis of AuNPs

Phytochemical compounds in plants, like proteins, organic acids (including fatty acids and phenolic acids), vitamins, carbohydrates, alkaloids, and secondary metabolites, function reducing, stabilizing, and capping agents for nitrate and chloride precursors during the green synthesis of MNPs. Figure 2 schematically depicts the method of plant-mediated biosynthesis of MNPs.




Figure 2: Schematic illustration of biosynthesis of metallic NPs from a plant.

Anticancer activity of green synthesized gold nanoparticles

AuNPs possess excellent stability and biocompatibility, flexible shapes and sizes, easy to function surfaces, high drug loading capacity as well as low toxicity, providing benefits to develop a more effective, on target cancer therapy. AuNPs have been used to target the delivery of chemotherapy agents, to supplement the radiation and thermal therapy, and to increase the contrast in various types of cancer and diseased organs. Nanotechnology has focused on the synthesis of nanoparticles with improved antioxidant activities against various diseases, including cancer and Alzheimer's. Significantly, AuNPs have become versatile candidates used for cancer detection and therapy due to their futuristic physicochemical properties. But still, the use of toxic chemicals in developing AuNPs is of great concern since it may create environmental issues. To combat with this, biological methods of fabricating AuNPs are the much preferred choice. Hence, synthesis of AuNPs using plants, seaweeds, and microbes are advantageous over physical and chemical methods. On this context, the phytochemicals present in the natural source contribute to added bio-compatibility and cytotoxicity by stabilizing the AuNPs. There have been numerous studies stating on the anticancer properties of AuNPs synthesized through biological approach. More studies about the comparative evaluation of AuNPs against cancer and normal cells are needed for further extended research. AuNPs have been

widely studied and applied in tumor treatment and diagnosis because of their special fundamental properties. In a series of biomedical applications of AuNPs, its role in tumor diagnosis and treatment is particularly prominent. In order to make AuNPs more suitable for tumor diagnosis and treatment, their natural properties should be systematically and intensely understood. Anticancer activity of plant extract mediated AuNPs are the center of attraction and are considered as a novel therapeutic drug. In this review we focused on eco friendly green synthesized AuNPs from the aerial parts of plant extract were characterized by UV-Vis spectroscopy, X-Ray Diffraction (XRD), FTIR, GC-MS Atomic Force Microscopy (AFM), Transmission Electron Microscopy (TEM), Electron microscopy assay, Zeta potential analysis and particle size analysis, Energy Dispersive X-

ray spectroscopy (EDAX) and SEM microscopy methods. Cytotoxicity test to examine the anticancer activities of green synthesized Au-NPs were analyzed by MTT (Microculture Tetrazolium technique). The summary of anticancer activities of green synthesized Au-NPs against human cancer cell line was also critically reported in Table 1. As shown in Table 1 below, anticancer activities of green synthesized AuNPs from aerial part extract of medicinal plants on different cancer cells indicates as a good promising candidate in synthesis for anticancer drugs for cancer therapy.

Table 1: Anticancer activities of green synthesized AuNPs on cancer cells.

No	Plant used for green synthesized AuNPs	Plant extract	Cancer cells	Anticancer activity
1	Cassava (<i>Manihot glazovii</i>)	Leaf extract	T47D	Very good
2	<i>Lavandula dentata</i> L.	Aqueous extract	K-562	Excellent
3	<i>Marsdenia tenacissima</i>	Leaf extract	A549	Very good
4	Ginger	Ginger extract	FTC-133	Excellent
5	Green tea extract	Green tea extract	HepG2	Excellent
6	Annona muricata (Ramaphal fruit)	Fruit extract	Hep2	Excellent
7	<i>Scutellaria barbata</i>	Leaf extract	PANC-1	
8	<i>Agrimonia pilosa</i>	Aerial part	HaCaT, and AGS,	Good
9	<i>Olea Europaea</i> (OE) and <i>Acacia Nilotica</i> (AN)	Mixture of OE fruit and a husk extract.	MCF-7, TCT-116 and HCepG-2	Very good
10	<i>Azadirachta indica</i>	Leaf extract	CHANG and HuH-7	Good
11	<i>Lotus leguminosae</i>	Aerial parts	MCF-7	Excellent
12	<i>Fragrans</i>	Isolated <i>Fusarium solani</i>	MCF-7, HeLa and Human Embryonic Kidney cell	Very good
13	<i>Curcuma wenyujin</i>	Aerial parts	A498	Very good
14	<i>Abies spectabilis</i>	Aerial parts	T24 cells	Good
15	<i>Solidago Canadensis</i>	Leaf extract	H4IIE-luc and HuTu-80 cells	Very good
16	<i>Breynia retusa</i>	Leaf extract	HeLa	Excellent
17	<i>Shorea tumbuggaia</i>	Bark extract	SW579 cell lines.	Excellent
18	Orchid plant	Aerial part extract	AMJ-13	strong
19	<i>Benincasa hispida</i>	fresh peel (aqueous) extracts	HeLa cells	Excellent

20	Brazilian Red Propolis BRP extracts (BRP)	T24 and PC-3 cells	Very good
----	---	--------------------	-----------

NB: T47D=Breast cancer cells; SW579=Thyroid cancer cell lines; K-562=A myelogenous leukemia cell line; PANC-1= Pancreatic Cancer Cell; HaCaT (Keratinocyte)=Normal cell, AGS=Cancer cell (adenocarcinoma); MCF-7=Breast cell; TCT-116=colon cell; HCepG-2=Hepatocellular Carcinoma cells; HuH-7=Liver cancer cells; A498=Renal cancer cell; T24=Bladder cancer cells.

As summarized in Table 1 above, anticancer activities of different aerial part of medicinal plant extract *via* green synthesized AuNPs on cancer cells indicates as a good promising candidate in order to synthesize anticancer drugs for cancer therapy. The strong anticancer activity and selectivity towards cancer cells marks the product very potential candidate for development of cancer defensive and treating nano drug.

CONCLUSION

Living organisms are one-cell or multicellular structures with typically 10 µm across for one cell, therefore the much smaller NPs (1–100 nm) can interact with cell surfaces. NPs or their active nano-complexes can penetrate and have the organism's external envelopes. The plasma membrane's permeability for small sized Ag and Au NPs allows for accumulation of them in internal compartments of cells. Gold nanoparticles (AuNPs) are well-known thanks to their wide spectrum of properties, activities and applications in diverse fields of researches are nowadays studied extensively. Green synthesized Au-NPs are more suitable for tumor diagnosis and treatment, their natural properties and therefore the interrelationships between green synthesized activities should be systematically and profoundly understood.

In general, the green synthesized gold nanoparticles are promising candidate on cancer therapy. Finally, overall, there's an important must explore the toxicological properties. The medicines derived from chemical compound show the drug resistance whereas metallic NPs don't have any such issues. There is no disinclination that these green synthesized NPs are the foremost promising and emerging within the field of applied therapeutics. In short, green synthesized Au-NPs showed anticancer potential. Further studies are needed to work out the precise mechanism behind the antimicrobial and anticancer activity at the molecular level.

REFERENCES

- Bangale S, Ghotekar S. Bio-fabrication of Silver nanoparticles using *Rosa Chinensis L.* extract for antibacterial activities. *Int J Nano Dimens.* 2019;10:217-224.
- Jain N, Bhosale P, Tale V, Henry R, Pawar J. Hydrothermal assisted biological synthesis of silver nanoparticles by using honey and gomutra (Cow Urine) for qualitative determination of its antibacterial efficacy against *Pseudomonas sp.* isolated from contact lenses. *Eurasia J Biosci.* 2019;13(1): 27-33.
- Sulaiman GM, Waheeb HM, Jabir MS, Khazaal SH, Dewir YH, Naidoo Y. Hesperidin Loaded on Gold nanoparticles as a Drug Delivery System for a Successful Biocompatible, Anti-cancer, Anti-Inflammatory and Phagocytosis inducer Model. *Sci Rep.* 2020;10(1): 9362.
- Agrawal P, Mehta K, Vashisth P, Bhat SP, Vishnu BVG. Green synthesis of silver nanoparticles and their application in dental filling material. *Int J Innov Res Technol Sci Eng.* 2014;3(6):13038-13052.
- Jae YS, Beom SK. Rapid biological synthesis of silver nanoparticles using plant leaf extracts. *Bioprocess Biosyst Eng.* 32(1):79-84.
- Kamranifar M, Allahresani A, Naghizadeh A. Synthesis and characterizations of a novel CoFe₂O₄@CuS magnetic nanocomposite and investigation of its efficiency for photo catalytic degradation of penicillin G antibiotic in simulated wastewater. *J Hazard Mater.* 2018;366(1):545-555.
- Payne JN, Waghwan HK, Connor MG. Novel synthesis of kanamycin conjugated gold nanoparticles with potent antibacterial activity. *Front Microbiol.* 2016;7:607.
- Naghizadeh A, Shahabi H, Ghasemi F, Zarei A. Synthesis of walnut shell modified with titanium dioxide and zinc oxide nanoparticles for efficient removal of humic acid from aqueous solutions. *J Water Health.* 2016;14(6):989-997.
- Patil MP, Ngabire D, Thi HHP, Kim MD, Kim GD. Eco-friendly Synthesis of Gold Nanoparticles and Evaluation of Their Cytotoxic Activity on Cancer Cells. *J Cluster Sci.* 2017;28 (1):119-132.
- Patil MP, Jin X, Simeon NC, Palma J, Kim D, Ngabire D, et al. Anticancer Activity of Sasa Borealis Leaf Extract-mediated Gold Nanoparticles. *Artif Cells Nanomed. Biotechnol.* 2018;46(1):82-88.
- Wang C, Mathiyalagan R, Kim YJ, Castro-Aceituno V, Singh P, Ahn S, et al. Rapid Green Synthesis of Silver and Gold Nanoparticles Using *Dendropanax Morbifera* Leaf Extract and Their Anticancer Activities. *Int J Nanomed.* 2016;11:3691-3701.
- Rajan A, Rajan AR, Philip D. *Elettaria Cardamomum* Seed Mediated Rapid Synthesis of Gold Nanoparticles and its Biological Activities. *OpenNano.* 2017;2:1-8.
- Kumar B, Smita K, Cumbal L, Camacho J, Hernandez Gallegos E, de Guadalupe Chavez-Lopez M, et al. One Pot Phytosynthesis of Gold nanoparticles using *Genipa americana* fruit extract and its biological applications. *Mater Sci Eng C.* 2016;62(1):725-731.
- Kharisova OV, Rasika Dias HV, Kharisov BI, Perez BO, Jimenez Perez VM. The greener synthesis of nanoparticles. *Trends in Biotechnol.* 2013;31(4):240-248.
- Ashraf A, Sarfraz RA, Mahmood A, Din Mud. Chemical Composition and *in vitro* Antioxidant and Antitumor Activities of *Eucalyptus camaldulensis* Dehn Leaves. *Ind Crops Prod.* 2015;74:241-248.
- Yesilot S, Aydin C. Silver Nanoparticles: A New Hope In Cancer Therapy?. *East J Med.* 2019;24(1):111-116.
- Mukherjee S, Chowdhury D, Kotcherlakota R. Potential theranostics application of biosynthesized silver nanoparticles (4-in-1 system). *Theranostics.* 2014;4(3):316-335.
- Ovais M, Khalil AT, Raza A. Multifunctional theranostic applications of biocompatible green-synthesized colloidal nanoparticles. *Appl Microbiol Biotechnol.* 2018;102(10):4393-4408.
- Ovais M, Raza A, Naz S. Current state and prospects of the phytosynthesized colloidal gold nanoparticles and their applications in

- cancer theranostics. *Appl Microbiol Biotechnol.* 2017;101(9): 3551-3565.
20. Mandal RP, Mandal G, Sarkar S, Bhattacharyya A, de S. Theranostic role of bile salt-capped silver nanoparticles–gall stone/pigment stone disruption and anticancer activity. *J Photochem Photobiol B.* 2017;175:269-281.