

Nutritional, Therapeutic and Functional Aspects of Goat Milk Based Product Fortified with Fruit Beverages

Bhatia Savita*, Tandon Divya

Department of Microbiology, SILB Solan, Himachal Pradesh, India

ABSTRACT

Beverages based on milk and fruit products are currently receiving sizeable attention as their market potential is growing. In recent years, the request for the functional beverages that promote health and wellness has increased. In fact, fermented juices are an excellent delivering means for bioactive components. Milk is a natural, multi-component, nutrient-rich beverage. Market trends indicate that milk-based beverages are ideal vehicles for newly discovered bioactive food ingredients targeting lifestyle diseases. Drinks containing combinations of dairy and fruit juices with added bioactive components are also becoming common in markets. Goat is one of the oldest domesticated animals. In ancient times, goat milk was valued the most. Goat milk still plays an important role in human nutrition. The contribution of goats in supplying milk and milk products is high and it has significant role in rural economy and health. Goat's milk is the most highly consumed milk in many other parts of the world and it is delicious as well as extremely nutritious. It has vitamins, minerals, trace elements, electrolytes, enzymes, proteins, and fatty acids that are easily assimilated by the body. Medium Chain Triglycerides (MCT) which are more in goat milk have been recognized as unique lipid with unique health benefits. Goat's milk has a similarity to human milk that is unmatched in bovine (cow) milk and also has several medicinal values. Functional foods promise to deliver health and wellness to consumers in an environment where lifestyle diseases and an ageing population are threatening the wellness of society.

Keywords: Beverage; Goat milk; Functional food; Market trend

INTRODUCTION

Beverages based on fruits and milk products are currently receiving significant attention as their market potential is growing. Soft drink industry had made sizeable progress during recent years in terms of production. Many type of syrups, sherbets and soft drinks containing artificial fruits flavors are well known all around the world. The basic consideration of the beverage is the caloric and therapeutic values, which make them popular and acceptable [1]. U.S. Foundation for Innovation in Medicine in 1989 introduced the word 'nutraceuticals' which refer to "any substance that is a food or a part of a food and provides medical or health benefits, including the prevention and treatment of disease". Today, the range of functional foods includes products such as baby foods, baked goods and cereals, dairy foods, confectionery, ready meals, snacks, meat products, spreads, and beverages. Particularly, beverages are by far the most active functional foods category because of convenience and possibility to meet consumer demands for container contents,

size, shape, and appearance, facility of distribution and better storage for refrigerated and shelf-stable products great opportunity to include desirable nutrients and bioactive compounds. The different types of commercially obtainable products could be grouped as follows dairy-based beverages including probiotics and minerals/ ω 3 enriched drinks, vegetable and fruit beverages, and sports and energy drinks. Fruit beverages are well enjoyed by every age groups of the society [2]. Fruit beverages are immensely nutritive, refreshing, thirst quenching, appetizing and easily digestible. Blended drinks are good alternative for development of new products to provide benefit of taste, nutrition and medicinal properties [3]. Medicinal plant extracts most often serve as functional constituents, primarily due to their therapeutic effects in terms of employing the enrichment addition of other functional ingredients to a food product [4]. Functionality is defined as any property of a food, or a food ingredient, excluding its nutritional ones, that affect its utilization [5]. Consumers' requirements in

Correspondence to: Bhatia Savita, Department of Microbiology, SILB Solan, Himachal Pradesh, India, Tel: 8847687062; E-mail: savirohaan1997@gmail.com

Received: January 20, 2021; **Accepted:** February 18, 2021; **Published:** February 25, 2021

Citation: Bhatia S, Tandon D (2021) Nutritional, Therapeutic and Functional Aspects of Goat Milk Based Product Fortified with Fruit Beverages. J Food Process Technol. 12: 868

Copyright: © 2021 Savita B, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

the food field have changed considerably. Consumers show an increased request for foods and drinks that can stimulate wellbeing, which stimulate functional food production [6]. Human beings try to find new substitutes of foods and researchers conduct studies for more and healthier foods. The milk of different ruminant species, either directly or as dairy products, comprises a food of outstanding significance for humans throughout their lives [7]. Milk base fortification is one of the most important steps that magnify the functional and nutritional properties [8]. From different types of milk, various characteristics of fermented milk beverage products are obtained. Improvements in livestock, dairy technology and milk quality may offer the most promise in reducing poverty and malnutrition in the world. Milk and its derivatives are suggested as being useful foods throughout all life periods, in particular during childhood and adolescence, when their contents of calcium, protein, phosphorus, and other micronutrients might promote skeletal, muscular, and neurologic development. The reasons for their popularity lie in the unique properties and components of milk, as well as a possibility of producing a wide variety of foods from this material [9]. Goat milk has numerous benefits on human health, even more than cow milk. Goat is one of the oldest domesticated animals; its production contributes an important part of the national economy in many countries, especially in the Mediterranean region and the Middle East. Goats are living in climates ranging from high altitude mountains to deserts [10]. Goat milk has been an important part of human nutrition for millennia but during past years, goat's milk has received increasing attention due to its specific and highly valuable nutritive composition, biological and therapeutic values [11]. Improved digestibility, higher mineral composition quality, buffering capacity, higher therapeutic efficiency and many other characteristics are significantly differing goat's milk from other milk types [12]. Due to its high medicinal value for human health, the value of goat milk has increased globally [13]. Today, an increase in demand by consumers is being observed towards consuming goat milk, mainly owed to their rich nutraceutical value [14]. Goat milk is rich in different physiologically functional components, including proteins, vitamins (such as vitamins E and C), flavonoids, and carotenoids with antioxidant properties. These nutritional, health and therapeutic benefits enlighten the potentials and values of goat milk and its specialty products. Goat milk and its processed products are greatly useful as functional foods, maintaining nourishment and health for young and elderly, especially those who have cow milk allergy [15]. Because of higher digestibility (small fat globules) and less allergic reactions (low α casein content) goat milk and its products have played an important role in human nutrition. The benefits are also imputed to bio functional components such as medium-chain triglycerides, polyunsaturated fatty acids and some serum proteins. Goat milk is a good source of Potassium, an essential mineral for maintaining normal blood pressure and heart function. A wide variety of products, including fluid beverage products can be manufactured by using chemical characteristics of goat's milk [16]. The symptoms like gastrointestinal problem, vomiting, colic, diarrhoea, constipation and respiratory disturbance can be eliminated when goat milk is fed to the infants. Infants with gastro intestinal or respiratory symptoms can well tolerate the pasteurized goat milk. When compared to cow's milk, fermented milk forms a soft curd and hence helps in easy digestion and absorption. Regular intake of goat milk can significantly improves the body weight

gain, mineralization of skeleton, increased blood serum vitamin, mineral and haemoglobin levels [17]. Raw goat's milk is still very often unacceptable among a large number of consumers due to its distinctive and characteristics taste and flavour attributed to the presence of free short chain fatty acids. So, addition of medicinal plant extracts to goat's milk may contribute to the improvement of bioactive and sensory of this food substrate. The composition of whole cow milk may not be optimal, with more protein and fewer micronutrients (e.g., iron, vitamin D) than may be required during rapid growth and development for young children and led to the formulation of fortified milk drinks intended to supplement the diets of children above 12 months [18]. Functional food products are manufactured through the addition of exogenous natural compounds or probiotics or other microorganisms that produce biogenic compounds. Currently, fermented milk is the most common matrix for commercial functional beverages [19]. Current developments in functional foods are fuelled by the rapid increase in lifestyle diseases and the preference by innovative companies to seize the resulting opportunities to market bioactive ingredients addressing these diseases [20]. Functional properties of dairy products are normally improved by correcting their composition of fatty acids, amino acids, and minerals, as well as fortifying them with micronutrients [9]. Corbo et al., 2014 reported that functional foods represent one of the most interesting areas of research and innovation in the food field [21]. The different approaches could be grouped as follows:

- exploitation of microorganism functionality
- optimization of the production and formulation of novel functional beverages
- use of prebiotics and synbiotics
- use and processing of natural ingredients
- use of by-products of fruit and food industries as functional ingredients

Bioactive compounds derived from natural foods like fruits and vegetables can exert functional and health-promoting effects through bioactivity beyond the basic nutrient composition. Further, there has been a growing demand for beverages enriched with bioactive compounds having health-promoting characteristics besides quenching one's thirst and providing nutrition [22]. Fortified milk drinks have been demonstrated to reduce the occurrence of insufficient micronutrient intake in circumstances of unbalanced dietary intake while potentially limiting the risks of excessive protein intake. Fortified milk products have also emerged for adolescent or such as the elderly, contributing a means of caloric regulation. In goat dairy beverages, sensory matching is more difficult, which presents a less favorable protein profile to reach a firm structure [23]. As consumers become more health conscious, interest in concentrated and fortified beverages is increasing, and its market share is growing. Consumers are demanding a variety of beverage options, because of lifestyle and health concerns [22]. The fruit juice-based beverage is a fast growing sector within the beverage market and ready- to- serve beverages are more popular among these beverages [22]. Fruit beverages are well enjoyed by all age groups of the society [2]. Fruit beverages are highly nutritive, refreshing, thirst quenching, appetizing and easily digestible. Blended drinks are good alternative for development of new products to provide

benefit of taste, nutrition as well as medicinal properties [3]. Fortified probiotic drinks are a new step in the development of the food industry. Fermented milk products are functional foods that contain biologically active substances with health-beneficial properties. It is generally recognised that probiotics serve as an important tool to prevent and treat dysbiosis resulting from irrational antibiotic therapy, intestinal diseases, improper nutrition, or stress. Among conventional probiotics are *Lactobacilli* and *Bifidobacteria*. Their beneficial effects are manifested in normalizing intestinal microflora, activating the entire gastrointestinal tract, and improving calcium absorption. They also perform anti-allergenic and immune stimulating functions [9]. A probiotic product have numerous health benefits, including antimicrobial, antimutagenic, anticarcinogenic, and antihypertensive effects as well as reduces serum cholesterol, alleviates lactose intolerance, reduces allergic symptoms, reduces diarrhoea, and stimulates the immune system [19]. Functional beverages can be useful to support the immune system, improve gut or cardiovascular health, help in weight management, or act as an adjuvant to counteract the aging processes. Fruit juices are becoming popular, since they provide health benefits [22]. It appears that people will not compromise on taste, because they want to enjoy their food regardless of health status. Dairy beverages easily fulfil the requirements for the three main drivers of functional foods, i.e. health, taste and convenience [22].

REVIEW OF LITERATURE

Beverage

Beverage imply those flavored drink, suitable for a hot humid scorching day, when nothing seems at peace with oneself making them appropriate in human consumption. Beverage is a liquid formulation especially prepared for human consumption. Beverages are refreshing drinks. Beverages provide water, an important nutrient which is essential for good health and the prevention of dehydration. Some contain carbohydrates to provide a sweet taste and as a source of calories to meet the body's energy requirements, and either natural or added vitamins, which is needed daily for good health. Corbo et al., 2014 suggested that recently, there has been growing recognition of the vital role of foods and beverages in disease prevention and treatment [21]. Thus, the production and consumption of functional foods has gained much importance as they provide a health benefit beyond the fundamental nutritional functions. Furthermore, they are an excellent delivering means for nutrients and bioactive compounds including vitamins, minerals, antioxidants, ω -3 fatty acids, plant extracts, and fiber, prebiotics, and probiotics. Afreen et al., 2016 prepare RTS beverages by using Sour-Orange juice and carrot juice [24]. Carrot juice and sour orange juice blend RTS beverages is free from any microbial contamination and best for the commercial preparation of based on the nutritional and sensory evaluations. Kumar et al., 2013 [25] develop blended therapeutic RTS using aloe vera, aonla fruits and ginger juices. Sensory quality revealed that aloe vera gel could be successfully incorporated with aonla fruits and ginger juices in development of blended therapeutic RTS with improved sensorial quality profile up to the level of 70% while with 15% aonla fruits juice and 15% of ginger juice extracts. The storage studies revealed that blended therapeutic RTS made from aloe vera gel, aonla fruits

and ginger juices extracts could be successfully stored for the period of 4 months without significant change in chemical and sensory qualities. Chatterjee et al., 2015 [26] utilize whey to develop an orange-based fruit beverage with optimum sensory and nutritional properties as well as good storage stability. Dhamsania et al., 2013 [27] concluded that the RTS beverage could be prepared from the ripe banana juice and milk whey using *M. arvensis* extract as natural flavoring agent. The proportion of banana juice and *M. arvensis* extract may be taken as 15 ml and 3 ml per 100 ml of the RTS beverage preparation for getting the optimum physicochemical characteristics and organoleptic quality, respectively. Sharma et al., 2020 developed apple-whey beverage (75% sweetos) contained 1.59% fruit to oligosaccharide content and 40.54 Kcal/100 g energy values, besides other nutritional compounds depicting its functionality as low calorie prebiotic beverage. Ismail et al., 2011 developed Whey Based Mango beverage also check the storability of beverage at $4^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 30 days [28]. The storage study showed that there is an increasing trend in the TSS, acidity, and reducing sugar and a decreasing trend in the pH and ascorbic acid but total sugar has non-significant effect during storage. Total viable count, Yeast and mold count, Coliform count, and Salmonella count was analyzed using standard methods. The Total Viable Counts (TVC) was high ranging from $2.60\text{--}2.76 \times 10^4$ cfu/mL. Yeast and mould count varied between $3.60\text{--}2.61 \times 10^3$ cfu/mL whereas Coliforms include both the presence of fecals $4.5\text{--}3.6 \times 10^4$ cfu/mL and non fecals $2.61\text{--}3.00 \times 10^2$ cfu/mL and Salmonella were not observed in most of the tested samples. Freire et al., 2017 [29] evaluate the effect of grape probiotic fermented beverages made of goat milk. Beverages formulated, with or without grape pomace extract, exhibited high dietary fiber, oleic acid, phenolic compounds content and antioxidant activity. Both beverages also kept *L. rhamnosus* and *S. thermophilus* viable during their passage through the intestinal tract and had a positive effect on gut micro biota metabolism, increasing the antioxidant capacity and the production of short-chain fatty acids, and decreasing the ammonium concentration. Sakhale et al., 2012 [1] Whey and juice of mango (Cv. Kesar) were utilized at various combinations (70:30, 75:25 and 80:20) for preparation of nutritious Ready-To-Serve (RTS) beverages and evaluated for various physico-chemicals and sensory attributes during storage. The study revealed that the RTS beverage prepared with 70% whey and 30% mango juice scored maximum for almost all sensorial quality attributes such as appearance, color, flavor, taste and overall acceptability and also found highest in ascorbic acid content (9.80 mg/100 g). The beverage remained unchanged with respect to TSS content along the storage period. Dande et al., 2019 [30] prepared whey based Ready to Serve (RTS) beverage by using Strawberry fruit extract juice with different levels of strawberry juice in which sugar was added and composition of whey is decreased by increasing the content of strawberry fruit extract juice on the basis of whey in the treatment T1, T2 and T3 respectively. Control treatment (T0) was the whey. Sensory evaluation was carried out by panelists on the basis of 9 point hedonic scale. The results are compared between the treatments T1, T2 and T3 for overall acceptability. Rizzolo, et al., 2018 [16] prepare a beverage by blending Ricotta-Cheese Whey (RCW) by-product of Ricotta cheese production, with fruit juices (Table 1).

Goat milk

A goat is universally known as "Poor man's cow". Currently, India

Table 1: Functional beverages [21].

Products	Active compounds
Fortified fruit juice beverage	Prebiotics: fructooligosaccharides
Fortified-strawberry beverage	Polyphenols (rose petals, <i>Rosa damascena</i> Mill.)
Fortified blackcurrant juice	Polyphenols (crowberry, <i>Empetrum nigrum</i>)
Fortified vegetable-beverage	Vitamins, minerals, polyphenols omega-3 fatty acids, proteins, digestible carbohydrates (whey, mango fruit)
Fortified fruit juice	Antioxidants (brewers' spent grain)
Grape-based fermented beverage with potential anti-hypertensive effect	Polyphenols (grape must); γ -amino butyric acid (<i>L.plantarum</i> DSM19463)
Beverage with anti-inflammatory Properties	Phenolic compounds, parthenolide (feverfew, <i>Tanacetum, parthenium</i>)
Fruit and milk-based beverages	Plant sterols (tall oil, and soybean, rapeseed, sunflower and corn oils)
Antioxidant dairy-based beverage	Antioxidants (extract of oregano, <i>Origanum vulgare</i> ; essential oil of oregano, <i>Origanum minutiflorum</i>)
Antioxidant beverage	Polyphenols (red grape, <i>Vitis vinifera</i> L.; elderberry, <i>Sambucus nigra</i> L.)
Apple-based beverage with anti-diabetic properties	Secoiridoid glycosides (<i>Fraxinus excelsior</i> seed extract)
Fermented carrot juice beverage	Prebiotics: inulin and fructooligosaccharides; Probiotics: <i>L.rhamnosus</i> DSM20711, <i>L. bulgaricus</i> ATCC 11842
Fortified fruit juice beverage	Prebiotics: fructooligosaccharides

possesses 126 million goats which contribute 14.5% of the world. The goat is one of the main contributors of dairy and meat products for rural people, more than any other mammalian farm animal, especially in developing country. One of the eminent aspects of demand of goat milk is its home consumption [31]. Goats are important part of livestock industry having adaptability to harsh climates which make them suitable for landless and marginal farmers [32]. Goat (*Capra hircus*) milk production has significant importance to the economy and survival of large populations of many countries in the world, in developing countries (i.e. Asia, Africa, the Middle East and Mediterranean countries and South America) as well as in developed countries (i.e. Europe, North America and Oceania) [15]. Goat milk is very nutritious and is an acceptable food in some parts of the tropical area. Over 210 breeds of goats have been estimated among 450 million goats in the world. India has the second highest goat population in the world about 135.17 million of goat population was estimated in India in 2012 [10,33]. Goats in India has produce around 2.76 million tonnes of milk which is 22.28% of World's production and 3% of total milk produced in the country. About 2% of the world's total annual milk supply is produced by the goat. Because of the large amounts of unreported home milk consumption, especially in developing countries, milk production of goats is likely to be much greater than reported in official statistics [34]. During dairy product manufacture, goat milk is subjected to different pre-treatments to ensure its microbiological safety. Fresh goat milk is a white, opaque liquid with a moderately sweet taste and practically no odor equipment [35]. In recent times goat farming is gaining an importance in the world. Factors that are effective in this are the production of goats milk, and its processing constitutes an economic activity of increasing importance due to high nutritional interest of goats' milk, as it provides high quality protein, fat, carbohydrates, vitamins, and several minerals, such as iron, calcium, and phosphorus [15]. Milk and dairy products have always been conceded as an important part of human diet both in developing as well as developed nations of the world [10]. Processing the milk is an alternative to modify fresh milk into milk products with better sensory properties, so that increase milk consumption [36]. Goat milk has a stronger flavor than sheep milk and alkaline in nature due to higher protein content and a

different arrangement of phosphates. Goat milk has smaller size fat globules as compared to cow milk which provides a smoother texture [10]. Goat milk is an essential source of nutrients, which are required for infant, and children besides, it serves as a medicinal food for persons suffering with milk allergies, and other diseases such as asthma, insomnia, migraine, eczema, neurotic indigestion, acidity, stomach ulcer, colitis, constipation, gall bladder stones and liver disorders [13,15]. Goat milk has played a key role in health and nutrition of young and elderly. Goat milk has also been known for its beneficial and therapeutic effects on the people who have allergy to cow milk. These nutritional, health and therapeutic benefits enlighten the potentials and values of goat milk and its specialty products [15]. Goat milk is sufficient for human infant in vitamin A and niacin and supplies generous excesses of thiamin, riboflavin and pantotheanate [34,37], although goat milk is deficient in vitamins C, D, B12, pyridoxine and folic acid. Thus, when goat milk is used for infant feeding, must be corrected by appropriate fortification [32]. These nutritional properties and lower allergenicity of goat milk in comparison to cow milk, higher proportion of short chain fatty acids, and smaller size of fat globules has led to an increased interest in goat milk as a functional food [15]. Wide variety of dairy products such as butter, ice cream, cheese, butter milk, condensed milk, yoghurt, flavored milk, sweets and candies can be prepared with goat milk [10]. Haenlein et al., 2004 [32] reported the use of goat milk as an excellent food source is undeniable. It has beneficial effects for health maintenance, physiological functions, in the nutrition of children and elderly people. According to some authors, goat milk can be consumed without negative effects by people suffering cow milk allergy. Depending on genetic factors, environment conditions, and goat farming practices, goat milk shows great variability in biochemical composition, technological properties and bacteriological quality [38]. One of the important aspects of demand of goat milk is its home consumption. This demand is increasing day by day because of the growing populations of people. The second important aspect of demand for goat milk is the great interest in goat milk products especially, cheeses and yoghurt in several developed and developing countries. This demand is increasing because of the rising levels of per capita incomes. Moreover, another important

aspect of demand for goat milk derives from the affliction of persons with cow milk allergies and other gastro-intestinal ailments. This demand is also increasing because of a greater awareness of problems with traditional medical treatments to such afflictions among the people [31]. Goat milk also act as functional food. According to the Consensus Document issued by the European Concerted Action on Science of Functional Foods, a food may be referred to as “functional”, if it has been indisputably proven that it positively influences one or more biological functions in the human body, improving the state of health and wellness, and reducing the chance to develop a disease. In addition to interest of industries and consumers for functional foods has been increasing exponentially. Presently, there is an awoken awareness on preventive rather than curative health care. And it has been discovered that consumption of functional foods will serve as key instrument for preventive health care, globally, the consumption of functional foods is being encouraged. The functional value of goats’ milk may be further utilized through fermentation by selected microorganisms possessing specific characteristics. A mixed starter comprising *Lactobacillus acidophilus*, *Bifidobacterium lactis* and *Streptococcus thermophilus* has been successfully used for fermentation of goats’ milk and a high viability of probiotic strains in a fermented goats’ milk stored at for 10 days has been reported. Fermentation is considered as a low-cost process, which preserves the food and improves its nutritional and sensory characteristics. Many cultures were used as starter cultures for fermented juices and have been recognized as probiotics [39]. Currently, functional foods are typically marketed to large groups of the total population. Scientific evidence confirming the relationship between food and health has promoted the rapid development of a new food market in past few years the functional food market. Low allergenicity in comparison to cow milk, especially in non-sensitized children has led to an increased interest in goat milk as a functional food, and it now forms a part of the current trend to healthy eating in developed countries. Nutritional, health and therapeutic welfare enlighten the potentials and values of goat milk and its specialty products [15].

Nutritional value of goat milk

Compared to cow or human milk, goat milk reportedly possesses remarkable biologically active properties, such as high digestibility, distinct alkalinity, high buffering capacity as well as certain therapeutic values in medicine and human nutrition [18,34]. The nutritional advantages of goat milk over cow milk do not come from its protein or mineral differences, but from the lipids, more specifically the fatty acids within the lipids. With regard to content of milk sugar as well as protein, goat milk can be nutritionally comparable to the cow milk. Due to its low fat content and its capability to neutralize the acids and toxins present in the body, goat milk is the most complete food known which is highly compatible and nourishing natural food [14].

Proteins: In general, two main groups of milk protein are differentiated namely casein micelles and whey protein. The main protein is casein which represents approx. 80% of the total protein. Goat whey proteins were separated to 5 fractions as β -lg (presented 60% to total WP), α -la, serum albumin, immunoglobulin and protease peptones [40]. Goat milk is a source of complete protein which contains all vital amino acids [41].

Lipid: Essentially fat is composed of glycerides and steroids (99%). Goat milk has higher content of fat than cows and human milk. Goat milk has a higher content of small fat globules [15]. Lipids are the most important components of milk in terms of cost, nutrition, physical and sensory characteristics [18]. Our body can digest goat milk in just 20 minutes while it takes 2 hours-3 hours to digest cow milk because the total surface area of the globules is very to effectively get in contact with the lipids [7]. The short or MCT have the unique metabolic ability to provide direct energy instead of being deposited in adipose tissues, and lower serum cholesterol and inhibit cholesterol deposition [42]. **Lactose:** In goat milk lactose is the major carbohydrate and main constituent of the dry matter of milk [43,44]. Lactose is a valuable nutrient, because it favours the intestinal absorption of calcium, magnesium and phosphorous and the utilization of vitamin D [7]. The other carbohydrates found in goat milk are oligosaccharides, glycopeptides, glycoproteins and nucleotides in small amounts. Milk oligosaccharides are thought to be beneficial to human nutrition, due to their prebiotic and anti-infective properties [45].

Vitamin: Goat milk has a higher vitamin K and vitamin A content than cow milk because goats convert all carotene from foods into vitamin A in the milk [32]. For the same reason, goat milk is always whiter than the milk of cow. Goat milk has a higher vitamin A content than cow milk because goats convert all carotene from foods into vitamin A in the milk [46] and also have low concentrations of vitamin B6 and Vitamin D, vitamin D plays an important role in the immune system and may help prevent infections, autoimmune diseases, cancer and diabetes [44]. Goat milk supplies appropriate amounts of Vitamin A and niacin, and excesses of thiamin, riboflavin and pantothenate for a human infant. If a human infant fed only on goat milk, the infant is oversupplied with protein, Ca, P, and Vitamin A, thiamin, riboflavin, niacin and pantothenate in relation to the FAO-WHO requirements. Compared to cow milk, goat milk has significant deficiencies in folic acid and Vitamin B12 which cause goat milk anemia [37].

Minerals and trace elements: Calcium and phosphate supplied by goat milk is one of the most important contributions of goat milk to human nutrition. Goat milk contains about 1.2 g calcium and 1 g phosphate per litre; these concentrations are similar to those in cow milk. Goat milk provides a great excess of Ca and P in relation to energy to human infant, both calcium and phosphorus of goat milk are absorbed by the human infant [37]. In Naturopathic medicine, goats are referred as bio-organic sodium animals whereas cows are referred as bio-organic calcium animals. Bioorganic sodium is an important element to keeping the joints mobile and tender [47]. Goat milk is reported to have higher content of Potassium, Calcium, chloride, Phosphorus, Selenium, Zinc and Copper than cow milk [48]. Potassium is important for the acid/base balance and also for the function of muscles, nerves and kidneys. Chloride can maintain fluid balance, blood H and osmotic pressure. Calcium (Ca) is important for building up the bone structure, but can also affects function of muscles, nerves and blood coagulation. Selenium (Se) is involved in the cell protection against free radicals, and protects body against heavy metals [44]. Zinc (Zn) is a key component in several enzymes that are involved in transport of carbon dioxide, protein production and it also collaborate with the hormone insulin which regulates metabolism of carbohydrates. Copper (Cu) affects the metabolism of iron

and oxygen and also the cell defense against free radicals. Iodine is an essential component in two thyroid enzymes that regulate metabolism and stimulate growth and development of the body.

Goat milk product

The consumer interest in the great variety of goat milk products, especially those of “organic” origin or of traditional labels has seen considerable growth recently. Goat milk apart from other milks is a significant food and nutrient source for people in many countries. The nutritional, health and therapeutic benefits notify the potentials and values of goat milk and its specialty products. The chemical characteristics of goat milk can be used to manufacture an immense range of products, including fluid beverage products (low fat, fortified, or flavored) and UHT (Ultra High Temperature) milk, fermented products such as cheese, buttermilk or yogurt, frozen products such as ice cream or frozen yogurt, butter, condensed/dried products, sweets and candies. Additionally, other specialty products such as hair, skin care and cosmetic products made from goat milk recently have gained a further attention. There is increased interest in foods with a positive effect on health beyond their nutritional value, and appreciable attention has focused on probiotic products [49]. The use of milk with particular nutritional properties alone or in combination with bacterial strains having probiotic properties and/or producing physiologically active metabolites, represents one of the technology options for manufacturing new dairy functional beverages [15]. Fermented milks, especially when probiotics are present, have been attributed with many properties, including: an improvement in lactose absorption, increases in protein and fat digestibility and in antibacterial activity, immune system stimulation, preventive action against digestive system cancer, anticholesterolemic action, and the enhancement of mineral bioavailability, among others. Fermented milk is broadly used to carry probiotic strains because the bacteria are kept alive, and its daily intake is recommended [49].

Butter: Butter possesses minimum 80% of fat. In India, over 6% of the total milk is converted into butter. Goat milk lacks agglutinin, which reduces its ability to form easy clusters during butter making. Since goat milk fat has a lower melting point compared to cow milk fat it results in very soft butter at room temperatures which is not desirable [10].

Cheese: Cheeses hold the considerable economic value among all manufactured goat milk products [35]. Cheese is a fermented dairy product, which has hundreds of varieties. Probably, it is the most popular and well known value added dairy product. The consumption of cheese prepared from raw milk has been implicated as the cause of outbreak of *brucellosis*, *listeriosis*, and staphylococcal food poisoning [15]. Therefore, it is essential to use only pasteurized milk to manufacture cheese to protect the health of the consumer.

Milk powder: By removing the water from liquid milk, milk powder is prepared. It has better keeping quality, requires less storage space and involves low transport cost.

Yoghurt: Currently, yoghurt is growing in popularity all over the world, as people are now become aware of health benefits of probiotics in yoghurt. Yoghurt is a fermented milk product that can be prepared with milk, cream, and skim milk [10]. Usually yoghurt is made from cow milk, but milk from other ruminants such as goat, sheep, camel, were also can be used. Fermentation of milk

by *Streptococcus thermophilus* and *Lactobacillus bulgaricus* will yield yoghurt with good flavor and a refreshing acid taste, semi-solid in texture, compact, contain high enough acid and no alcohol. [50] Stated that yoghurt from goat milk is an excellent source of fatty acids, mineral, protein however consumer acceptance was low due to its “goaty” flavour. Moreover, they stated that goat milk fat contain higher *caproic*, *caprilic* and *capric* fatty acids compared to other ruminant species [36].

Kefir: Kefir is a putatively health-promoting dairy beverage that is produced when a kefir grain, consisting of a consortium of microorganisms, is added to milk to initiate a natural fermentation. Kefir is fermented milk only made from kefir grains and kefir cultures as no other milk culture forms. Kefir grains are the mixture of beneficial bacteria and yeast with a polysaccharide matrix. During fermentation lactic acid, CO₂, ethyl alcohol and aromatic compounds that make its unique organoleptic 2 properties are occurred. Kefir is used for the treatment or control of several diseases for many years in Russia. It is begun to consume in some areas of the world, south-western Asia, eastern and northern Europe, North America and Japan for its nutritional and therapeutic aspects [51].

Marketing potential of goat milk and its products

Goat milk was approved as an effective dietary item for the patients suffering from tuberculosis, dysentery, cough and cold and certain gynecological disorders [13]. Recently, there has been a renewed interest in goat milk as an alternative milk source for people with cow milk intolerance. Demand for organic and healthy dairy food has been increasing world widely including India. Interest of consumer in toxic residue-free milk will further benefit India, the highest goat milk producer in the world, where natural pasture grazing of goats predominates. In past few years, there has been an increased interest for goat milk production and conversion to value added products [32]. The most important quality standard for goat milk is acceptable, attractive milk odor and taste. Park stated that the two biggest barriers in marketing goat milk are negative public perception of “goat like” flavor and seasonal milk production, which prevents year-round uniform marketing [35]. The origin of this misconception is due to the fact that goat milk is sometimes obtained in poor sanitary conditions and that goat milk products are poorly manufactured. Widespread teaching of goat milk benefits and good taste can only transpose this poor reputation [15]. Technological approaches are needed to sort out the seasonal milk supply, such as ultrafiltration of milk, freezing and storage of curds, spray-drying, and production of mixed-milk cheeses. Major factors for successful marketing of dairy goat products include consumer reception of safety and nutrition, quality of flavor, body texture, and appearance, availability of specialty types, attractiveness of packaging, relative price of products and establishment of proper distribution and marketing channels. The marketing value of dairy products in developed countries is estimated around US \$14180 million. In few countries, the growth is expected to cross more than 30% [32]. In spite of much larger volume available of cow milk, it is much cheaper production usually and therefore, lower market price, the production and marketing of goat milk and its products is therefore, an essential niche in the total dairy industry sector [31]. But according to Yangilar et al., 2013 [15] as more and more advantages of goat milk over bovine milk have been discovered, such as easy digestion, special flavor, higher concentration of

Table 2: Functional dairy beverages with added bioactive component [20].

Functional dairy beverage	Brand name	Manufacturer	Source of bioactive
Low-fat milk	Lactantia nature addition	Lactantia (Parmalat), Canada	Omega-3 (flaxseed oil)
Low-fat milk	Herat Plus	PB Food Australia	Omega-3 (fish-oil)
Low-fat milk	Natrel Omega-3	Natrel Canda	Omega-3 (Organic flaxseed oil)
Low-fat milk (Fresh)	Dawn Omega milk	Dawn Dairy, Ireland	Omega -3 (fish oil)
Low-fat milk	Farmers Best	Dairy Farmers, Australia	Omega-3 (vegetable oil)
Low-fat milk (UHT) and milk powder	Omega plus	Nestle, Malaysia and Singapore	Omega-3 (vegetable oil- canola and corn oil)

Table 3: Milk- based beverages containing probiotic microorganisms [52].

Single or Multiple strains of probiotics	Product	Claim
<i>Lb. acidophilus</i>	Namyang Jayeonui flavored probiotic yogurt drink	Stimulate digestive system
<i>Lb. casei</i> (or <i>Lb. paracasei</i>)	Actimel (strain Danone® also known <i>Lb. casei</i> CNCM I-1518 or <i>Lb. casei</i> DN 114 001)	Support normal function of immune system
<i>B. bifidum</i> or <i>B. longum</i>	Caldus Milk (Bifidus milk) (<i>B. bifidum</i> strain BB536)	Holds for specified health use (FOSHU) status
<i>Bifidobacterium spp.</i>	Mengniu/Mön milk Guan Yi Ru Original Bb-12 (strain Bb-12)	Improve digestive system and stimulate immune system
<i>Lb. acidophilus</i> + <i>Bifidobacteriu m spp.</i>	Dreaming probiotic yogurt drink (<i>B. animalis</i> strain Bb-12)	Improve digestive system and stimulate immune system

some nutrients, the demand of goat milk has been fast increasing worldwide and goat milk commands higher price than cow milk (Table 2 and Table 3).

Medicinal values of goat milk

Other than nutritional advantages, demand for goat milk derives from a medical purpose, on the affliction of people with cow milk allergies and other gastrointestinal ailments [16]. Due to its high medicinal value for human health, the value of goat milk has increased globally. It is easier to digest than cows' milk and may have certain therapeutic value [34]. According to [18] goat milk differs from cow or human milk in its higher digestibility, distinct alkalinity, higher buffering capacity, and therapeutic values in medicine and human nutrition [41]. When goat milk is fed to the infants, the symptoms like gastrointestinal disturbances, vomiting, colic, diarrhoea, constipation and respiratory problems can be eliminated. Pasteurized goat milk is well tolerated by the infants having gastro intestinal or respiratory symptoms. Regular intake of goat milk remarkably improves the body weight gain, improved mineralization of skeleton, increased blood serum vitamin, mineral and haemoglobin levels [17]. Goat milk is a good source of potassium, a vital mineral for maintaining normal blood pressure and heart function and protect against atherosclerosis [53]. The higher proportion of medium-chain fatty acids in goat milk are known to be anti-bacterial, be antiviral, inhibit development and dissolve cholesterol deposits, and be absorbed rapidly from the intestine. According to some authors, goat's milk can be consumed without negative effects for people suffering cow milk allergy. This is one of the reasons highlights the market potential of goat milk [41]. Goat milk is also effective against Cardiovascular Disease (CVD) involve heart and blood vessels; coronary heart disease, high blood pressure, arrhythmias and atherosclerosis. Goat milk is rich in Medium-Chain Triglycerides (MCT) including fatty acid esters of *caproic*, *caprylic* and *capric* fatty acids act anti-anthrogenic. Goat milk has a high content of Conjugated Linoleic Acid (CLA), anti- carcinogenic properties of CLA have been reported against

mammary and colon cancer in animal models, as well as in vitro models of human melanoma colorectal and breast cancer. Goats' milk is a good source of potassium, an essential mineral for maintaining normal blood pressure and heart function [53-55].

FUTURE PROSPECTS

The role of traditional beverages in the future of the fermented beverage industry may be to inspire the development of new products, whereby it is easier to develop simple, novel beverages and directly evaluate the functional and sensory properties in controlled fermentations with minimum variables. Fermented milks, especially yoghurt-style products, are the most popular functional beverages. Dairy-based produce account for approximately 43% of the functional beverage market, and is mainly comprised of fermented products. Additionally, a research into the fermentation of waste and by-products products (e.g. whey) continues, there is the potential for a significant environmental impact. As developed society becomes more health-conscious, particularly in response to the growing obesity epidemic, the market for functional food appears to be in a long-term, sustainable trend, with beverages constituting a substantial share of this market. Aside from marketing to health-conscious (and high-income) consumers, there is evidence that functional beverages could function as a therapeutic product, particularly as a means of delivering nutrition to, and improving the health of, malnourished populations. This medicinal impact may also be augmented by the growing field of nutraceuticals, addition of cholesterol-controlling factors, and in terms of probiotics, the alleviation of intestinal discomfort and aiding in the recovery from antimicrobial treatment. It is also intriguing to note that a number of food companies that have been under pressure, due to the poor public perception regarding the 'healthiness' of the foods they produce, are now focusing on developing such functional products. Expanding technological capabilities, especially ingredient exploration and development, has led to increased functional product innovation. The number of new products with functional claims has been growing by approximately

28% per year. Consumers' willingness to pay a premium price for fortified products is also a key driver for innovation. While most current functional beverages are aimed at the high-income consumer, there is an argument to be made that those who would benefit most from fermented beverages are from underdeveloped nations, where such beverages could provide a cost-effective means of delivering much-needed nutrition.

CONCLUSION

Nowadays dairy industries are looking for new product ideas and technologies to meet the ever increasing consumer requirement for healthy foods and to increase the profitability. Recently it is watched that there has been increasing demand to foods that has functional foods. Functional foods can be defined as foods that have positive effects on the health. Functional dairy beverages can satisfy the growing market need for health, taste and convenience, but the formulators require significant knowledge of the bioactive components and their interaction with dairy components. An important development in this regard has been in goats' milk mixed products. Studies showed that being one of the earliest domesticated animals in the world, goats will always be an important part of human culture. Their compact size (compared with cows) makes them appealing from a herd management and milking standpoint. Additionally, physiological differences render unique physical characteristics to goat milk in terms of flavor profile, fat globule size, coagulation properties, and allergenicity, making goat milk the dairy product of choice for many consumers. Goat milk products are considered to be the dairy products with greatest marketing potential. Fermented goat milk incorporating live probiotic cells represent a group of products with great prospects in the future with regard to their nutritive and therapeutic properties. Various goat products including fluid, fermented, frozen, condensed, and dehydrated milk products are produced in many countries. Goat and its products are recognized as an important source of protein, calcium and phosphorus, especially in under developing nations of the world. Moreover, it also has medicinal value for human being as it is effective against cardiovascular disease, control blood pressure and is healthy alternative to cow's milk that may be more easily digested than regular cow's milk, especially to children and those who have sensitive stomachs to other animals' milk.

REFERENCES

- Sakhale BK, Pawar VN, Ranver RC. Studies on the development and storage of whey based RTS beverage from Mango cv. Kesar. *J Food Process Technol.* 2012;3:1-4.
- Balaswamy K, Rao P, Nagender A, Akulla A. Preparation of sour grape (*Vitis Vinifera*) Beverages and evaluation of their storage stability. *J Food Process Technol.* 2011;2:116.
- Sindumathi G, Premalatha MR, Kavitha V. Studies on Therapeutic Value of Naturally Flavored Papaya-Mango Blended Ready-To-Serve (RTS) Beverage. *Int J Curr Microbiol App Sci.* 2017;6:878-887.
- Zheng W, Wang SY. Antioxidant activity and phenolic compounds in selected herbs. *J Agr Food Chem.* 2001;49:5165-5170.
- Ribeiro AC, Ribeiro SDA. Speciality products made from goat milk. *Small Ruminant Res.* 2010;89:225-233.
- Ayed L, M'hir S, Hamdi M. Microbiological, biochemical, and functional aspects of fermented vegetable and fruit beverages. *J Chem.* 2020.
- Ceballos LS, Morales ER, Adarve GDLT, Castro JD, Martinez LP, Sampelayo MRS. Composition of goat and cow milk produced under similar condition and analyzed by identical methodology. *J Food Compost Anal.* 2020;22:322-329.
- Bruzantin FP, Daniel JLP, Silva PPM, Spoto MHF. Physicochemical and sensory characteristics of fat-free goat milk yogurt with added stabilizers and skim milk powder fortification. *J Dairy Sci.* 2016;99:3316-3324.
- Sukhikh SA, Astakhova LA, Golubcova YuV, Lukin AA, Prosekova EA, Milenteva IS. Functional dairy products enriched with plant ingredients. *J Nutr.* 2019;135:2749-2752.
- Pal M, Dudhrejiya P, Pinto S. Goat milk products and their significance. *Bev Food.* 2017; 4: 21-25.
- Clark S, Garcia MBM. A 100-Year Review: Advances in goat milk research. *J Dairy Sci.* 2017;100: 10026-10044.
- Komes D, Arijana B, Ana BC, Mladen B, Tomisalav B, Aleksandra V, et al. Novel approach to the development of functional goat's milk-based beverages using medicinal plant extracts in combination with high intensity ultrasound treatment. *Food Tech Biotechnol.* 2017;55:484-495.
- Pal UK, Mandal PK, Rao VK, Das CD. Quality and utility of goat milk with special reference to India: an overview. *Asian J of Animal Sci.* 2011;5:56-63.
- Bhat R, Ismail NHB, Yeoh TK. Exploring the food industry potential of novel goat milk bar produced by supplementing with rose flower extracts. *Int Food Res J.* 2016;23:2472-2478.
- Yangilar F. As a Potentially Functional Food: Goats' Milk and Products. *J Food Nutr.* 2013;1:68-81.
- Ribeiro AC, Ribeiro SDA. Speciality products made from goat milk. *Small Ruminant Res.* 2010; 89:225-233.
- Morgan D, Gunneberg C, Gunnell D, Healing TD, Lamerton S. Medicinal properties of goat milk. *J Dairy Goat.* 2012;90:1.
- Park YW. Hypoallergenic and therapeutic significance of goat milk. *Small Ruminant Res.* 2007;14:151-159.
- Al-Hindi RR, Ghani SAE. Production of functional fermented milk beverages supplemented with pomegranate peel extract and probiotic Lactic acid bacteria. *J Food Quality.* 2020.
- Sharma R. Market trends and opportunities for functional dairy beverages. *Aust J Dairy Technol.* 2005;60:195-198.
- Corbo MR, Bevilacqua A, Leonnardo P, Casanova, Milena S. Functional beverages: The Em Funct Food. 2014;13:1541-4337.
- Sharma R, Chaudhary R, Thakur NS, Bishist R, Thakur A. Optimization of fructo oligosaccharide fortified low calorie apple-whey based rts beverage and its quality evaluation during storage. *Curr J Appl Sci Technol.* 2020;39:17-28.
- Park Y, Leitzmann MF, Subar AF, Hollenbeck A, Schatzkin A. Dairy food, calcium, and risk of cancer in the NIH-AARP Diet and Health Study. *Arch Int Med.* 2009;169:391-401.
- Kumar SR, Ray RC, Paul PK, Suresh CP. Development and storage studies of therapeutic Ready To Serve (RTS) made from blend of aloe vera, aonla and ginger juice. *J Food Process Technol.* 2013;4:1-7.
- Chatterjee G, Neve J, Dutta A, Das S. Formulation and statistical evaluation of ready-to-drink whey based orange beverage and its storage stability. *Mex J of Chem Engr.* 2015;14:253-264.
- Dhamsaniya NK, Varshney AK. Development and evaluation of whey based rts beverage from ripe banana juice. *J Food Process Technol.* 2013;4:2:11-14.
- Freire FC, Adorno MAT, Sakamoto IK, Antoniassi R, Chaves ACS, Santos KMO, et al. Impact of multi-functional fermented goat milk

- beverage on gut microbiota in a dynamic colon model. *Food Res Int*. 2017; 99:315-327.
28. Afreen S, Kumar P, Inthujaa Y. Preparation of ready to serve beverage from carrot with sour orange juices. *Int J Inno Rsrch Sci Eng Tech*. 2016;5:1992-1997.
 29. Dande KG, Biradar GS, Dadge AV. Effect of different levels of strawberry fruit juice on acceptability of whey beverage. *Adv Fish Biol Allied Res*. 2019;1:119-123.
 30. Kumar S, Kumar B, Kumar R, Kumar S, Khatkar S, Kanawjia S. Nutritional features of goat milk. *Indian J Dairy Sci*. 2017;65.
 31. Bhattarai R. Importance of Goat Milk. *J Food Sci Technol*. 2012;7:107-111.
 32. Arora R, Bhojak N, Joshi R. Comparative aspects of goat and cow milk. *Int J Eng Sci Invent*. 2013;2:2319-6726.
 33. Haenlein GFW. Goat milk in human nutrition. *Small Ruminant Res*. 2004;51:155-163.
 34. Young W, Park. Goat milk products: quality, composition, processing, and marketing. *Ency. Animal Sci*. 2010;10:1081.
 35. Suriasih K, Hartawan M, Sucipta N, Lindawati AS, Okarini IA. Microbiological, chemical and sensory characteristics of yoghurt prepared from blended cow and goat milk. *Food Sci QM*. 2014;1:34.
 36. Jenness R. Composition and characteristics of goat milk: Review. *J Dairy Sci*. 1980;63:1605-1630.
 37. Anifantakis EM, Kandarakis JG. Contribution to the study of the composition of goat's milk. *Milchwissenschaft*. 1980;35:617-619.
 38. Perricone M, Bevilacqua A, Altieri C, Sinigaglia M, Corbo M (2015). Challenges for the production of probiotic fruit juices. *Bev*. 2015;1:95-103.
 39. Tafes AG (2020). Compositional and technological properties of goat milk and milk products a review. *Con. Dairy Vet Sci*. 2020;3.
 40. Ulusoy BH. Nutritional and Health Aspects of Goat Milk Consumption. *Acad food J*. 2015;2:13.
 41. Alferez MJM, Barrionuevo M, Aliaga M, Sanz-Sampelayo I, Lisbona MR, Robles F, et al. Digestive utilization of goat and cow milk fat in malabsorption syndrome. *J Dairy Res*. 2001;68:451-461.
 42. Abbas H, Hassan FAM, El-Gawad MAM, Enab AK. Physicochemical characteristics of goat's milk. *Life Sci J*. 2014;11:307-317.
 43. Zenebe T, Ahmed N, Kabeta T, Kebede G. Review on medicinal and nutritional values of goat milk. *Acad. J Nutr*. 2014;3:30-39.
 44. Kunz C, Rudloff S, Baier W, Klein N, Strobel S. Oligosaccharides in human milk: structural, functional and metabolic aspects. *Annu Rev Nutr*. 2000;20:699-722.
 45. Conesa CL, Sanchez L, Rota C, Perez M, Calvo M, Farnoud S. Isolation of lactoferrin from milk of different species; calorimetric and antimicrobial studies. *Comp Biochem Physiol*. 2008;150.
 46. Kumar A, Sharma A. Nutritional and medicinal superiority of goat milk over cow milk in infants. *Int J Pediatr Nurs*. 2016;2.
 47. Krstanovic VV, Bozanic SR, Hardi J, Rezessy J, Lucan M. Nutritional and therapeutic value of fermented caprine milk. *Int J Dairy Technol*. 2010;63:171-189.
 48. Montoro M, Miguel N, Triana B, Rafael G, Silvia S, Manuel O. Physicochemical, nutritional, and organoleptic characterization of a skimmed goat milk fermented with the probiotic strain *Lactobacillus plantarum* C4. *Nutr*. 2018;10:633.
 49. Costa MP, Balthazar CF, Franco RM, Marisco ET, Cruz AG, Conte, et al. Changes on expected taste perception of probiotic and conventional yoghurts made from goat milk after rapidly repeated exposure. *J Dairy Sci*. 2014;97:2610-2618.
 50. Otes S and Cagindi O (2003). Kefir: A Probiotic Dairy-Composition, Nutritional and Therapeutic Aspects. *Pakistan Journal of Nutrition* 2 (2): 54-59.
 51. Turkmen N, Akal C, Ozer B. Probiotic dairy-based beverages: A review. *J Funct Foods*. 2019;53:62-75.
 52. Getaneh G, Mebrat A, Wubie A, Kendie H. Review on Goat Milk Composition and its Nutritive Value. *J of Nutr Health Sci*. 2016;3:2393-9060.
 53. El-Agamy EI. The challenge of cow milk protein allergy. *Small Ruminant Res*. 2007;68:64-72.
 54. Ismail A, Mamoun O, Ali A. Microbial and chemical evaluation of whey-based mango beverage. *Adv J Food Sci Technol*. 2011;3:250-253.
 55. Lopez-Aliaga I, Alferez MJ, Nestares MT, Ros PB, Barrionuevo M, Campos MS. Goat milk feeding causes an increase in biliary secretion of cholesterol and a decrease in plasma cholesterol levels in rats. *J Dairy Sci*. 2005;88:102-141.