



The Role of Diet in Ovarian Cancer Survival: A Comprehensive Analysis of Pre-Diagnosis Dietary Habits

Bandera Nagle*

Department of Public Health, University of Queensland, Brisbane, Australia

DESCRIPTION

Ovarian cancer remains one of the most formidable challenges in women's health. Ranked as the eighth leading cause of female cancer-related death globally, ovarian cancer claims the lives of hundreds of thousands of women each year. Despite improvements in treatment outcomes, the five-year survival rate for ovarian cancer patients remains dishearteningly low, consistently hovering below 50%, even in high-income countries. As such, there is growing interest in identifying modifiable factors that could influence survival rates. Diet, in particular, is one such modifiable factor that has garnered significant attention in recent years [1].

Dietary habits before a diagnosis of ovarian cancer may play a key role in shaping post-diagnosis survival outcomes. Observational studies suggest that better diet quality—characterized by higher intake of fruits, vegetables, fiber and soy-based products such as tofu—may be linked to improved survival outcomes [2]. In contrast, consumption of certain foods before diagnosis has been associated with poorer prognosis after diagnosis. Studies indicate that diets rich in red and processed meats, dairy products, milk, lactose, calcium, salted fish, Chinese cabbage and folate or folic acid have been correlated with a higher risk of worse survival outcomes. Additionally, high Glycemic Index (GI) diets, which include foods that cause rapid spikes in blood sugar, have been consistently linked to reduced survival. These findings underline the importance of dietary choices before diagnosis, highlighting a potential avenue for influencing cancer prognosis even after a diagnosis has been made [3-6].

Despite these findings, there is substantial variability across studies, with some research showing inconsistent or even contradictory results. This lack of consistency, along with limited sample sizes, has hampered efforts to draw firm conclusions about the dietary factors most influential in ovarian cancer survival. The variability is further compounded by the heterogeneity of patient characteristics, including differences in

clinical stage, genetic markers and lifestyle factors that might influence the relationship between diet and survival outcomes [7-9].

One of the primary challenges facing ovarian cancer survivors is the lack of specific dietary guidelines tailored to their needs. While the World Cancer Research Fund (WCRF) offers broad recommendations for cancer survivors in general, such as maintaining a healthy weight, limiting alcohol consumption and being physically active, no specific dietary recommendations exist for ovarian cancer survivors [10]. This gap in guidelines leaves many survivors seeking guidance on how to optimize their diet to improve their health outcomes and potentially increase their chances of survival.

In conclusion, diet plays a significant role in shaping the health and survival of ovarian cancer patients, but the exact nature of this relationship remains unclear. Existing studies suggest that diet quality before diagnosis, including higher intake of fruits, vegetables, fiber and soy products, may be linked to improved survival outcomes, while consumption of certain foods like red meat, dairy products and high glycemic index foods may be detrimental. However, the lack of consistency across studies highlights the need for larger, more robust research to confirm these associations and provide a clearer understanding of how diet can influence survival.

REFERENCES

1. Santangelo G, Pellino G, De Falco N, Colella G, Amato DS, Maglione MG, et al. Prevalence, diagnosis and management of ectopic thyroid glands. *Int J Surg*. 2016;28:S1-6.
2. Karim F, Inam H, Choudry UK, Hasnain Fatimi S. Ectopic follicular variant of papillary thyroid carcinoma in anterior mediastinum with a normal thyroid gland. A case report. *Int J Surg Case Rep*. 2018;51:213-217.
3. Nguyen D, Htun NN, Wang B, Lee B, Johnson C. An anaplastic thyroid carcinoma of the giant-cell type from a mediastinal ectopic thyroid gland. *Diagnostics*. 2023;13:2941.

Correspondence to: Bandera Nagle, Department of Public Health, University of Queensland, Brisbane, Australia, E-mail: nagle@edu.com

Received: 22-Jan-2025, Manuscript No. JCM-25-28715; **Editor assigned:** 24-Jan-2025, Pre QC No. JCM-25-28715; **Reviewed:** 31-Jan-2025, QC No. JCM-25-28715; **Revised:** 07-Feb-2025, Manuscript No. JCM-25-28715; **Published:** 21-Feb-2025, DOI: 10.35248/2157-2518.25.16.001

Citation: Nagle B (2025) The Role of Diet in Ovarian Cancer Survival: A Comprehensive Analysis of Pre-Diagnosis Dietary Habits. *J Carcinog Mutagen*. S48:001.

Copyright: ©2025 Nagle B. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

4. Qi Y, Liu J, Liu Y, Shen Z, Hu N. Ectopic papillary thyroid carcinoma mimicking distant metastatic tissue. *J Int Med Res.* 2022;50(9):1-6.
5. Cabibi D, Cacciatore M, Guarnotta C, Aragona F. Immunohistochemistry differentiates papillary thyroid carcinoma arising in ectopic thyroid tissue from secondary lymph node metastases. *Thyroid.* 2007;17(7):603-607.
6. Shafiee S, Sadrizade A, Jafarian A, Zakavi SR, Ayati N. Ectopic papillary thyroid carcinoma in the mediastinum without any tumoral involvement in the thyroid gland A Case report. *Asia Oceania J Nucl Med Biol.* 2013;1(1):44-46.
7. Huang NS, Wei WJ, Qu N, Wang YL, Wang Y, Ji QH. Lingual ectopic papillary thyroid carcinoma: two case reports and review of the literature. *Oral Oncol.* 2019;88:186-189.
8. Nambiar G, Eshwarappa H, Kini H, Chidanand D. Isolated thyroid carcinoma in an ectopic thyroid tissue. *BMJ Case Rep.* 2021;14(2):1-4.
9. Sturniolo G, Violi MA, Galletti B, Baldari S, Campenni A, Vermiglio F, et al. Differentiated thyroid carcinoma in lingual thyroid. *Endocrine.* 2016;51(1):189-98.
10. Toda S, Iwasaki H, Suganuma N, Okubo Y, Hayashi H, Masudo K, et al. Occult thyroid carcinoma without malignant thyroid gland findings during preoperative examination: report of three cases. *Case Rep Endocrinol.* 2020;1-6.