

## Investigation of Respiratory Viruses by the Multiplex PCR Method in the Community Suggested Reciprocal Virus Transmission between Children and Adults

Masayuki Nagasawa<sup>1,2,8\*</sup>, Ryuichi Nakagawa<sup>2,8</sup>, Yoichiro Sugita<sup>1</sup>, Emi Ono<sup>1,3</sup>, Yoshimi Yamaguchi<sup>3</sup>, Tomoyuki Kato<sup>1,4</sup>, Hideki Kajiwara<sup>1,5</sup>, Reiko Taki<sup>6</sup>, Naoshige Harada<sup>7</sup>

<sup>1</sup>Department of Infection Control, Musashino Red Cross Hospital, Musashino, Tokyo, Japan; <sup>2</sup>Department of Pediatrics, Musashino Red Cross Hospital, Musashino, Tokyo, Japan; <sup>3</sup>Department of Laboratory, Musashino Red Cross Hospital, Musashino, Tokyo, Japan; <sup>5</sup>Department of General Medicine, Musashino Red Cross Hospital, Musashino, Tokyo, Japan; <sup>6</sup>Department of Respiratory Medicine, Musashino Red Cross Hospital, Musashino, Tokyo, Japan; <sup>7</sup>Department of Emergency and Intensive Care, Musashino Red Cross Hospital 1-26-1, Kyonan-cho, Musashino, Tokyo 180-8610, Japan; <sup>8</sup>Department of Pediatrics and Developmental Biology, Tokyo Medical and Dental University 1-5-45, Yushima, Bunkyo-ku, Tokyo 113-8519, Japan




Supplementary Figure 1: A cumulative ratio of Influenza-A infection in the 2014-2015, 2015-2016, 2016-2017, and 2017-2018 seasons in the adults and children is presented. Note: (--) child (<15); (--) adult (>=15).

Correspondence to: Masayuki Nagasawa, Department of Infection Control and Pediatrics, Musashino Red Cross Hospital 1-26-1, Kyonan-cho, Musashino, Tokyo 180-8610, Japan, E-mail: mnagasawa.ped@tmd.ac.jp

Received: 06-May-2022, Manuscript No. JVV-22-16487; Editor assigned: 09-May-2022, PreQC No. JVV-22-16487 (PQ); Reviewed: 27-May-2022, QC No. JVV-22-16487; Revised: 03-Jun-2022, Manuscript No. JVV-22-16487 (R); Published: 10-Jun-2022, DOI: 10.35248/2157-7560.22.S19.002.

Citation: Nagasawa M, Nakagawa R, Sugita Y, Ono E, Yamaguchi Y, Kato T, et al. (2022) Investigation of Respiratory Viruses by the Multiplex PCR Method in the Community Suggested Reciprocal Virus Transmission between Children and Adults. J Vaccines Vaccin. S19:002.

Copyright: © 2022 Nagasawa M, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



Supplementary Figure 2: The cumulative ratio of SARS-CoV-2-infected patients in the 5th wave of the pandemic in Tokyo from the public database. Note: (---) < 10s; (----) 10s; (----) 20s; (-----) 30s; (-----) 50s.